


Creaty



- Speed Controller of Creaty Drum type prevents a rapid fall of the shades.
- Creaty Cord with a heart cam stopper offers an easy stop without swaying the cord.
- Twin shade systems are available both for Drum type and Cord type shades.

Creaty Lineup

Drum Type		
Clutch		
Twin One Chain	Twin	Single
		
Features • A single chain adjusts the front and back of both screens. • Easy and simple operation with one hand using the built-in Clutch. • The built-in Speed Controller prevents the screen from swooping down.	Features • Easy and simple operation with one hand using the built-in Clutch. • The built-in Speed Controller prevents the screen from swooping down.	
Allowable Size Width: 300–4,000 mm (12–158") Height: 480–4,000 mm (19–158") *Depending on the style. *If width is 390 mm (15") or less, height is up to 2,000 mm (79"). *If width is 400–660 mm (16–26"), height is up to 3,000 mm (118").	Allowable Size Width: 300–4,000 mm (12–158") Height: 480–3,000 mm (19–118") *Depending on the style. *If width is 390 mm (15") or less, height is up to 2,000 mm (79").	Allowable Size Width: 300–4,000 mm (12–158") Height: 480–4,000 mm (19–158") *Depending on the style. *If width is 390 mm (15") or less, height is up to 2,000 mm (79"). *If width is 400–660 mm (16–26"), height is up to 3,000 mm (118").
Maximum Shade Weight Up to 8 kg (18 lb) in total of 2 shades *Front and back shade, each one is up to 4 kg (9 lb).	Maximum Shade Weight Up to 8 kg (18 lb) in total of 2 shades *Either front or back shade is up to 5 kg (11 lb).	Maximum Shade Weight 5 kg (11 lb) *Including sewing materials.
Allowable Style  Plain + Plain  Sharp + Plain  Sharp + Sharp		Allowable Style  Plain  Sharp  Austrian  Austrian (Bay window)  Balloon  Balloon (Bay window)
Refer to page 4 and page 9 for details	Refer to page 5 and page 9 for details	Refer to page 5 and page 8 for details



What is Twin?

- A compact head rail with two shades fits neatly on the window frame and yet offers an easy operation.
- Two shades operate with only one Head Rail. A single unit for two shades reduces cost.
- Can be selected operation for right side, left side or both sides (excluding Twin One Chain).



Allowable Products

- Creaty Drum Type Twin One Chain
- Creaty Drum Type Twin
- Creaty Cord Type Twin

Drum Type	Cord Type	
Gear	Twin	Single
Single		
		
Features • Operates lightly with the built-in Gear. • Lowering is simple: When the hand lowers the Ball Chain, the shade falls by the same distance. • Suitable for big windows.	Features • Suitable for narrow windows. • Simple and smooth operability.	
Allowable Size Width: 300–4,000 mm (12–158") Height: 480–4,000 mm (19–158") *Depending on the style. *If width is 390 mm (15") or less, height is up to 2,000 mm (79"). *If width is 400–660 mm (16–26"), height is up to 3,000 mm (118").	Allowable Size Width: 180–2,400 mm (7.1–94") Height: 480–3,000 mm (19–118")	Allowable Size Width: 180–2,400 mm (7.1–94") Height: 480–3,000 mm (19–118") *Depending on the style.
Maximum Shade Weight 8 kg (18 lb) *Including sewing materials.	Maximum Shade Weight Up to 8 kg (18 lb) in total of 2 shades *Either front or back shade is up to 5 kg (11 lb).	Maximum Shade Weight 5 kg (11 lb) *Including sewing materials.
Allowable Style  Plain  Sharp  Austrian  Austrian (Bay window)  Balloon  Balloon (Bay window)	Allowable Style  Plain + Plain  Sharp + Plain  Sharp + Sharp	Allowable Style  Plain  Sharp  Austrian  Austrian (Bay window)  Balloon  Balloon (Bay window)
Refer to page 5 and page 8 for details	Refer to page 6 and page 10 for details	Refer to page 6 and page 11 for details



Creaty's Unique Features


■ Creaty Drum Type Twin One Chain

• One Chain Operation

Both the front shade and back shade can be raised and lowered by a single chain.




How to pull up the Front Shade



Pull down the front side of the Ball Chain.




How to pull up the Back Shade



Pull down the back side of the Ball Chain.




How to pull down the Front Shade



Pull down the front side of the Ball Chain and release it.

How to pull down the Back Shade




Pull down the back side of the Ball Chain and release it.


• Two-story Structure for Simple and Compact Design

The vertical placement of the front and back rails in a single unit greatly reduces depth.

The discreet gap between the window frame and shade relaxes the cramped feeling of a room.



Two-story Structure Twin Head Rail



■ Creaty Drum Type Twin / Single

• TOSO's Unique Single-Point Recoiling Drum

Enables a stable lift-cord reeling: taking up the lift cord at a single point without lateral swaying when lifting the screen.

Allows the screen to be neatly folded.

• One- or Two-sided Operation Available



Creaty Drum Type **Clutch**



Drum Type Single / White



Drum Type Twin / Brown



Ball Chain
Color Lineup

Creaty Drum Type **Gear**



Drum Type Gear Single / White



Drum Type Gear Single / Brown



Ball Chain
Color Lineup



- Easy and simple operation with one hand functioning the built-in Clutch.
- The built-in Speed Controller prevents the screen from swooping down.
- A simple one-touch operation lowers the shade. The shade slowly lowers by itself to the lowest position.



- Operates lightly with the built-in Gear.
- Lowering is simple: When the hand lowers the Ball Chain, the shade falls by the same distance.

*Creaty Drum type Gear is no application of the twin.

■ Creaty Cord Twin / Single

• Simple and Easy Operation

Quite operation with small power.

The screen stops at anywhere you want.

Even if you pull the cord from any angle, one-stop and one-release is possible.




Cord Type Single / White



Cord Type Twin / Brown


A heart cam stopper enables smooth raising and lowering of the shade.

Ordinary Roman Shades



Ordinary Roman Shades require the cord to be pulled straight down for operation.

Creaty Cord



Creaty Cord's heart cam stopper makes it possible to pull the cord at any angle for stop and release operation.

Sewing and Optional Materials

• RS S-shaped Ring for Cord N

The RS Tape Ring N realizes easy maintenance.

No need to put the cord through each ring one by one.


Just slide the cord into this S-shaped ring from the side.



• RS Loop Tape Detachable

Easy removal and installation make it easier than ever to wash and care for the fabric.

It has no hassle to remove the Lift Cord from the RS Cord Adjuster N and to level the shade.



The RS Loop Tape Detachable is integrally connected to the Lift Cord, RS S-shaped Ring, and RS Cord Adjuster N.

No adjustment required after installation.



Before the Lift Cord had to be removed from the Ring and Cord Adjuster, which required adjustment after installation.






Sewing and Optional Materials

• Head Rail Joint / Twin Head Rail Joint

Use the Head Rail Joint to easily carry large rails into a room in divided sections. Reassemble the sections in a few easy steps just before installing.

A Twin Head Rail Joint is also available.

The packing size is reduced to half that for large rails, for high portability.



Allowable Size



Product Name	Width	Hight	Maximum Shade Weight (Including sewing materials)
Creaty Drum Type Twin One Chain	2,010– 4,000 mm (79–157")	480– 4,000 mm (19–157")	8 kg (17.6 lb)
Creaty Drum Type Gear			8 kg (17.6 lb)
Creaty Drum Type Clutch			5 kg (11 lb)



• Corner Return



Corner Return provides a useful function for twin shades in corner windows.

Corner Return widens the back side of the screen to block outside light by filling in the gap between the shades in the corners.



Creaty Drum Type Single / Creaty Drum Type Gear Single

Product View and Parts Name




Parts


- | | |
|----------------------|------------------------------------|
| ① Head Rail | ⑪ Speed Controller * |
| ② Slide-in Velcro | ⑫ Cord Adjuster |
| ③ Bracket | ⑬ Return (Bay window styles) |
| ④ Pulley Set | ⑭ Guide Cord (Austrian) |
| ⑤ Ball Chain | ⑮ Guide Cord End (Austrian) |
| ⑥ Ball Chain Joint * | ⑯ Weight Bar (Plain, Sharp) |
| ⑦ End Cap | ⑰ Weight Bar Cap (Plain, Sharp) |
| ⑧ Lift Cord | ⑱ Weight (Balloon, Austrian) |
| ⑨ Coiling Drum | ⑲ Corner Joint (Bay window styles) |
| ⑩ Clutch * | |

Brackets

Universal Bracket



Ceiling Bracket



Maximum Shade Weight

Creaty Drum Single: 5 kg (11 lb)

Creaty Drum Gear Single: 8 kg (18 lb)

Including sewing materials.

Allowable Size


Product width (W)	300–390 mm (12–15")	400–660 mm (16–26")	670–4,000 mm (26–158")
Product height (H)			
480–2,000 mm (19–79")	○ (*1)	○	○
2,010–3,000 mm (79–118")	—	○	○
3,010–4,000 mm (119–158")	—	—	○ (*2)

*1 For Coiling Drum Short only. *2 For Coiling Drum Long only.

Allowable size for bay window


The number of multiple	Product width			Product height
	The min. width of one side	Total min. width of one side	Total max width	
2	300 mm (12")	700 mm (28")	4,000 mm (158")	480–3,000 mm (19–118")
3		1,210 mm (48")		
4				
5		1,500 mm (59")		

*Operation possible angle of Corner Joint is 90° to 180°.




Installation Dimensions


Wall attachment (With Universal Bracket)



Ceiling attachment (With Universal Bracket)




Ceiling attachment (With Ceiling Bracket)




Creaty Drum Type Twin One Chain / Creaty Drum Type Twin

Product View and Parts Name


Drum type twin one chain



One-sided operation



Two-sided operation




Parts


- | | |
|----------------------------|--------------------------------|
| ① Head Rail | ⑩ Clutch |
| ② Slide-in Velcro | ⑪ Speed Controller |
| ③ Bracket | ⑫ Cord Adjuster |
| ④ Pulley Set | ⑬ Return (Only when specified) |
| ⑤ Ball Chain | ⑭ Weight Bar |
| ⑥ Ball Chain Joint | ⑮ Weight Bar Cap |
| ⑦ End Cap | ⑯ Keeper Plate |
| (One-sided operation only) | ⑰ One Chain Pulley Set |
| ⑧ Lift Cord | ⑱ Loop Ball Chain |
| ⑨ Coiling Drum | |

Brackets

Universal Bracket



Ceiling Bracket



Maximum Shade Weight

Total 8 kg (18 lb)

One-sided operation, Two-sided operation:

Front shade or back shade is 5 kg (11 lb) or less, and total weight is 8 kg (18 lb) or less. Including sewing materials.

One chain:

Front shade or back shade is 4 kg (9 lb) or less, and total weight is 8 kg (18 lb) or less. Including sewing materials.


Allowable Size

Product width (W)	300-390 mm (12-15")	400-660 mm (16-26")	670-4,000 mm (26-158")
Product height (H)			
480-2,000 mm (19-79")	○	○	○
2,010-3,000 mm (79-118")	—	○	○
3,010-4,000 mm (119-158")	—	—	○


*Product height is 3,000 mm (118") or less at One-sided or Two-sided operation.

Installation Dimensions


Wall attachment (With Universal Bracket)



Ceiling attachment (With Universal Bracket)




Ceiling attachment (With Ceiling Bracket)



Creaty Cord Type Single

Product View and Parts Name




Parts


- ① Head Rail
- ② Slide-in Velcro
- ③ Bracket
- ④ Stopper Case (Main unit)
- ⑤ Cord Guide (Cord Guide A/B)
- ⑥ Stopper Guide (width up to 290 mm)
- ⑦ End Cap
- ⑧ Lift Cord
- ⑨ Cord Stop
- ⑩ Cord
- ⑪ Safety Joint
- ⑫ Cord Adjuster
- ⑬ Return (Only when specified)
- ⑭ Weight Bar
- ⑮ Weight Bar Cap

Brackets

Universal Bracket



Ceiling Bracket




Allowable Size

Product width (W)	180 mm (7.1") to 2,400 mm (94")
Product height (H)	480 mm (19") to 3,000 mm (118")

Allowable size for bay window

The number of multiple	Product width			Product height
	The min. width of one side	Total min. width of one side	Total max width	
2	150 mm (5.9")	700 mm (28")	2,350 mm (93")	480–3,000 mm (19–118")
3		1,010 mm (40")		

*Operation possible angle of Corner Joint is 90° to 180°.




Maximum Shade Weight

5 kg (11 lb)


Including sewing materials.

Installation Dimensions


Wall attachment (With Universal Bracket)



Ceiling attachment (With Universal Bracket)




Ceiling attachment (With Ceiling Bracket)




Creaty Cord Type Twin

Product View and Parts Name

One-sided operation



Two-sided operation




Parts


- | | | |
|--------------------------------------|---|--------------------------------|
| ① Head Rail | ⑦ End Cap (One-sided operation only) | ⑬ Cord Adjuster |
| ② Slide-in Velcro | ⑧ Lift Cord | ⑭ Return (Only when specified) |
| ③ Bracket | ⑨ Cord Stop | ⑮ Weight Bar |
| ④ Stopper Case (Main unit) | ⑩ Cord | ⑯ Weight Bar Cap |
| ⑤ Cord Guide (Cord Guide A/B) | ⑪ Cord Separator (One-sided operation only) | |
| ⑥ Stopper Guide (Width up to 290 mm) | ⑫ Safety Joint | |

Brackets

Universal Bracket



Ceiling Bracket



Maximum Shade Weight

Total 8 kg (18 lb)


Front shade or back shade is 5 kg (11 lb) or less, and total weight is 8 kg (18 lb) or less. Including sewing materials.

Allowable Size


Product width (W)	180 mm (7.1") to 2,400 mm (94")
Product height (H)	480 mm (19") to 3,000 mm (118")

Installation Dimensions


Wall attachment (With Universal Bracket)



Ceiling attachment (With Universal Bracket)





















Ceiling attachment (With Ceiling Bracket)









Creaty Parts

Product Name			Drum Type				Cord Type		Product Code	
			Clutch			Gear	Twin	Single		
			Twin One Chain	Twin	Single	Single				
Head Rail (4 m)		White	—	—	○	○	○	○	04610001	
		Brown	—	—	○	○	○	○	30000995	
Head Rail Joint			—	—	○	○	—	—	30007484	
Drum Twin Head Rail (4 m)		White	○	○	—	—	—	—	04620001	
		Brown	○	○	—	—	—	—	30000996	
Twin Head Rail Joint			○	—	—	—	—	—	30007483	
Slide-in Velcro (50 m)			○	○	○	○	○	○	01320263	
Universal Bracket		White	—	—	○	○	○	○	04610002	
		Brown	—	—	○	○	○	○	30001003	
Ceiling Bracket		White	○	○	○	○	○	○	04610003	
		Brown	○	○	○	○	○	○	30001004	
Twin Universal Bracket		White	○	○	—	—	○	—	04620002	
		Brown	○	○	—	—	○	—	30001002	
End Cap		White	—	—	○	○	○	○	04610004	
		Brown	—	—	○	○	○	○	30000997	
Drum Twin End Cap		White	○	○	—	—	—	—	04620016	
		Brown	○	○	—	—	—	—	30001005	
RS Ball Chain TO-0748			Clear White	—	○	○	—	—	04610013	
			Clear Beige	—	○	○	—	—	—	04610014
			Clear Brown	—	○	○	—	—	—	04610015
			White	—	○	○	—	—	—	04610016
			Beige	—	○	○	—	—	—	30001009
			Brown	—	○	○	—	—	—	30001008
RS Loop Ball Chain TO-0748	L=1000 mm	White	○	—	—	○	—	—	04610045	
		Beige	○	—	—	○	—	—	30001073	
		Brown	○	—	—	○	—	—	30001069	
	L=1500 mm	White	○	—	—	○	—	—	04610046	
		Beige	○	—	—	○	—	—	30001074	
		Brown	○	—	—	○	—	—	30001070	
	L=2000 mm	White	○	—	—	○	—	—	04610047	
		Beige	○	—	—	○	—	—	30001075	
		Brown	○	—	—	○	—	—	30001071	
	L=2500 mm	White	○	—	—	○	—	—	04610048	
		Beige	○	—	—	○	—	—	30001076	
		Brown	○	—	—	○	—	—	30001072	
Ball Chain Joint			White	—	○	○	—	—	04610017	
			Beige	—	○	○	—	—	—	04610036
			Brown	—	○	○	—	—	—	04610037

Product Name		Drum Type				Cord Type		Product Code	
		Clutch			Gear	Twin	Single		
		Twin One Chain	Twin	Single	Single				
Clutch					—	—	—	04610040	
Coiling Drum						—	—	04610006	
Coiling Drum Short						—	—	04610044	
Coiling Drum Long						—	—	30003588	
Corner Joint for Drum Type		Right	—	—			—	04610008	
		Left	—	—			—	04610009	
Pulley		White	—	—		—	—	04610005	
		Brown	—	—		—	—	30000998	
Pulley N		Right	White	—	—		—	30003369	
			Brown	—	—		—	—	30003371
		Left	White	—	—		—	—	30003370
			Brown	—	—		—	—	30003372
Gear Type Pulley		White	—	—	—		—	30005344	
		Brown	—	—	—		—	30005345	
Drum Twin Pulley		Right	White	—		—	—	04620005	
			Brown	—		—	—	—	30000999
		Left	White	—		—	—	—	04620006
			Brown	—		—	—	—	30001000
Drum Twin One Chain Pulley		Right	White		—	—	—	04610042	
			Brown		—	—	—	—	30001006
		Left	White		—	—	—	—	04610043
			Brown		—	—	—	—	30001007

Product Name			Drum Type				Cord Type		Product Code	
			Clutch			Gear	Twin	Single		
			Twin One Chain	Twin	Single	Single				
Return 45 mm			☐	☐	☐	☐	☐	☐	04610011	
Adjustable Return 70–110 mm			☐	☐	☐	☐	☐	☐	04610012	
Shaft		3 m	Steel	☐	☐	☐	☐	—	—	04610018
		4 m	Steel	☐	☐	☐	☐	—	—	04610041
Speed Controller N			☐	☐	☐	—	—	—	30001920	
Speed Controller N (Heavy duty)			☐	☐	☐	—	—	—	30001938	
(*1)										
Cord Stopper			—	—	—	—	☐	☐	04750002	
Stopper Case		White	—	—	—	—	☐	☐	04750004	
		Brown	—	—	—	—	☐	☐	30001001	
Cord Guide			—	—	—	—	☐	☐	04750006	
Cord Separator			—	—	—	—	☐	—	04750008	
Corner Joint for Cord Type		Right	—	—	—	—	—	☐	04750010	
		Left	—	—	—	—	—	☐	04750012	
Stopper Guide			—	—	—	—	☐	☐	04750014	
(*2)										






Product Name		Drum Type				Cord Type		Product Code
		Clutch			Gear	Twin	Single	
		Twin One Chain	Twin	Single	Single			
Lift Cord (1.2 mm) TO-0712 	White	○	○	○	○	○	○	01320275
	Beige	○	○	○	○	○	○	01320276
	Brown	○	○	○	○	○	○	01320277
	Gray	○	○	○	○	○	○	01320278
RS Cord 2.8 mm 	White	—	—	—	—	○	○	01320231
	Beige	—	—	—	—	○	○	01320232
	Brown	—	—	—	—	○	○	01320234
	Gray	—	—	—	—	○	○	01320233
Cord Stop S 		—	—	—	—	○	○	30007495
RS Cord Stop N 	White	—	—	—	—	○	○	01320283
	Beige	—	—	—	—	○	○	01320285
	Brown	—	—	—	—	○	○	01320287
	Gray	—	—	—	—	○	○	01320289
RS Cord Stop Washer (*3) 		—	—	—	—	○	○	01320291
Creaty Cord Safety Joint (Large) 		—	—	—	—	○	○	01320266
RS Keeper Plate 		○	○	—	—	—	—	01320294
RS Weight Bar 250 400 m 		○	○	○	○	○	○	01710022
(*2)								
Weight Bar Joint 		○	—	○	○	—	—	30007485
RS Weight Bar Cap 25 		○	○	○	○	○	○	01710023
RS Weight Flat Bar 2000 mm 		○	○	○	—	○	○	01320253
RS Weight Steel Bar L300 		○	○	—	—	—	—	01320293
RS Weight Steel Bar L120 		—	—	—	—	○	○	01320295
(*2)								

*1 Using for product width 1,410 mm (56") over.

*2 Using for product width at 180 mm (7.1") to 290 mm (11.4").

*3 Using for one swag.

Sewing and Option Materials

Product Name	Style					Example of use amount	Product Code
	Plain + Plain	Plain	Sharp	Balloon	Austrian		
RS Tape with Loop 200 mm pitch (100 m) 	☐	☐	—	—	—	(Product height +100 mm) X (Number of swag +1) (*1)	01320261
RS Tape with Loop 150 mm pitch (100 m) 	☐	☐	—	☐	☐	(Product height +100 mm) X (Number of swag +1) (*1)	01320109
RS Loop Tape Detachable (100 m) 	☐	☐	—	—	—	(Product height +100 mm) X (Number of swag +1) (*1)	30001116
RS S-Shaped Ring for Cord N 	☐	☐	—	☐	☐	Installation on RS Tape with Loop	01320273
RS S-Shaped Ring for Cord S 	☐	☐	☐	☐	—	Installation on RS Tape with Loop	30007032
Gather Tape DWI 75 (50 m) 	—	—	—	☐	—	Same length of the shade width	02020002
Polyester Heading 75 mm (100 m) 	—	—	—	☐	—	Same length of the shade width	00400064
RS Cord Adjuster R 	☐	☐	☐	☐	—	Number of swag +1 (*1)	30007112
RS Cord Adjuster S 	☐	☐	☐	☐	☐	Number of swag +1 (*1)	30007033
RS Velcro Tape Female (25 m) 	☐	☐	☐	☐	☐	Same length of the shade width	01320108
RS Shaper Tape (50 m) 	White	—	—	☐	—	Same length of the shade width	01320201
	Beige						01320198
	Brown						01320199
	Gray						01320200
RS Shaper Tape S 	White	—	—	☐	—	Same length of the shade width	30007034
	Beige						30007035
	Brown						30007036
	Gray						30007037
RS Shaper Rod 4 m 	—	—	☐	—	—	Same length of the shade width	01320113
RS Twin Rings 	☐ (*2)	—	—	—	—	Number of swag +1	01320213

*1 In the case of Plain + Plain, the required number doubles.

*2 It is necessary only for Creaty Cord.